

Wooden door with aluminum profile

IISDCO®

Only Produce High Quality Hardware




Wooden door with aluminum profile

Minimalist

We offer a complete set of hardware for wooden door with slim aluminum profile

B272-B	1
B272-C	2
BF259	3
Conceal door hinge	4
Door stopper	5



B272-B





Handle and rosette can match the color of aluminum profile of door frame.



Insert part can be customized to match the surface of door.



Front handle can be pressed when the door is locked, preventing structure damage when handle is pressed down violently.



The color of hinge can be matched as aluminum profile.



The color of door stopper can be matched as the surface of door or aluminum profile.



BLK





White



Satin Black

B272-B



Material: Aluminum

Finish technology: Anodization / Powder Coating

Available finish: Matt black/ Matt white/ Silver/ Steel Gray

Process: CNC


With 60mm backset magnetic latch

Function: Entry, Privacy, Passage

Brass cylinder with 3 keys

Door thickness: 38-45mm/ Customization





B272-C





Handle and rosette can match the color of aluminum profile of door frame. Magnetic latch with hidden screws.



Insert part can be customized to match the surface of door.



Rosette in extremely thin



Key hole is hidden in the handle. A key is saved inside the handle for emergency release.



Front handle can be pressed when the door is locked, preventing structure damage when handle is pressed down violently.



Universal for left opening and right opening.



The color of hinge can be matched as aluminum profile.



The color of door stopper can be matched as the surface of door or aluminum profile.




BLK

White

Satin Black

B272-C



Material: Aluminum

Finish technology: Anodization / Powder Coating

Available finish: Matt black/ Matt white/ Silver/ Steel Gray


Process: CNC

With 60mm backset magnetic latch

Function: Entry, Privacy, Passage

Brass cylinder with 3 keys

Door thickness: 38-45mm/ Customization





B259



IIISDOO



Handle and rosette can match the color of aluminum profile of door frame. Magnetic latch with hidden screws.



Insert part can be customized to match the surface of door.



Rosette in extremely thin



The color of hinge can be matched as aluminum profile.




The color of door stopper can be matched as the surface of door or aluminum profile.



Blk

B259



Material: Aluminum

Finish technology: Anodization / Powder Coating

Available finish: Matt black

Process: CNC


With 60mm backset magnetic latch

Function: Entry, Privacy, Passage

Brass cylinder with 3 keys

Door thickness: 38-45mm/ Customization





Conceal door hinge

YLS-032

Material: Zinc alloy

Finish: Electroplating/ Powder Coating

Application: Wooden door/ Wooden door
with aluminum profile

Process: Die casting

Dimension: 135*28*28*22mm

Max opening degree: 180°


Loading capacity: 2 pieces for 60KGS/3 pieces for 80KGS

Min door thickness: 45mm

Max door width: 900mm



Size



1. 3D adjustment:

±2 mm vertical adjustment.

±2 mm horizontal adjustment.

±1 mm pressure adjustment.

2. Electroplating process with a better surface.

3. Cycly test: 200,000 times.

4. With hidden screws



Satin Black



Matt White



Matt Black



Silver



Matt Gold

YLS-033

Material: Zinc alloy

Finish: Electroplating/ Powder Coating

Application: Wooden door/ Wooden door with aluminum profile

Process: Die casting

Dimension: 150*32*32*26mm

Max opening degree: 180°


Loading capacity: 2 pieces for 80KGS/3 pieces for 100KGS

Min door thickness: 40mm

Max door width: 900mm



Size



1. 3D adjustment:
 - ±3 mm vertical adjustment.
 - ±2 mm horizontal adjustment.
 - ±1 mm pressure adjustment.
2. Electroplating process with a better surface.
3. Cycly test: 200,000 times.
4. With hidden screws.



Satin Black



Matt White




Matt Black



Silver



Matt Gold



Door stopper


YLS-938-A

Material: Zinc alloy

Finish: Electroplating

Application: Wooden door/ Wooden door with aluminum profile

Process: Die casting



1. Silent motion.
2. Electroplating process with a better surface.
3. No punching or drilling for installation.
4. Magnet in long service life



Matt Black



Matt White



Silver



Matt Gold



Only Produce High Quality Hardware

**Professionally provide customized
product solutions**

✉ marketing@iisdoodesign.com

🌐 www.iisdoodesign.com

☎ +86 189 2331 2588